

## P4P Quality Measures 2007 - 2008

| Specialty            | Measurement  | Description  | Data Source |
|----------------------|--|--|-------------|
| <b>Endocrinology</b> |  |  |             |
| <b>Osteoporosis</b>  | Screening or Therapy for Women Aged 65 Years and Older | Percentage of female patients aged 65 years and older who have a central DXA measurement ordered or performed at least once since age 60 or pharmacologic therapy prescribed within 12 months                                | C           |
|                      | Management Following Fracture                          | Measure: Percentage of patients aged 50 years and older with a fracture of the hip, spine or distal radius who had a central DXA measurement ordered or performed or pharmacologic therapy prescribed                        | C           |
|                      | Pharmacologic Therapy                                  | Percentage of patients aged 50 years and older with a diagnosis of osteoporosis who were prescribed pharmacologic therapy within 12 months   | C           |
| <b>Diabetis</b>      | HbA1C Control in Type 1 or 2 Diabetes Mellitus         | Percentage of patients 18-75 years with diabetes (type 1 or 2) with one or more A1C tests conducted during the measurement period with the most recent hemoglobin A1c greater than 9.0%.                                     | C           |
|                      | LDL Control in Type 1 or 2 Diabetes Mellitus           | Percentage of patients 18-75 with diabetes with at least one Low Density Lipoprotein cholesterol (LDL-C) test (or ALL component tests) with most recent LDL-C level in control (less than 100mg/dl)                          | C           |
|                      | Dilated retinal exam for diabetic retinopathy          | Percentage of patients who received a retinal or dilated eye exam by an eye care professional (optometrist or ophthalmologist) during the reporting year or during the prior year if patient is at low risk for retinopathy. | C           |
|                      | ALOS   |  | MSS         |
|                      | Mortality Rate   |  | MSS         |
|                      | Complication Rate                                      |  | MSS         |
|                      | Re-admission Rate                                      |  | MSS         |
|                      | Generic Drug Utilization                               | Percentage of generic drugs utilized   | MSS         |