

Valley Health Care Network  
P4P Quality Measures 2006-2007  
(Measurement Period August 1, 2006-July 31, 2007)

CLINICAL MEASURE	PERFORMANCE MEASURE
<b>OB/GYN</b>	
1. Obstetrical Profile/Prenatal Panel ordered by 28 Weeks Gestation	Women who had an obstetrical profile/prenatal panel by 28 weeks gestation
2. Postpartum Care After Delivery	Women who had a PP visit within 10-56 days after delivery
3. Breast Cancer Screening	Women who had a mammogram within the past 2 years or during the measurement period
4. Cervical Cancer Screening	Women who had one or more cervical pap tests within the past 3 years or during the measurement period
5. Chlamydia Screening	Women identified as being sexually active who had at least one Chlamydia test during the measurement period
6. Generic Drug Utilization	Percentage of generic drugs utilized

Valley Health Care Network  
P4P Quality Measures 2006-2007  
(Measurement Period August 1, 2006-July 31, 2007)

CLINICAL MEASURE	PERFORMANCE MEASURE
<b>CARDIOLOGY</b>	
1. Treatment for Acute Myocardial Infarction (AMI) with aspirin	Patients dx'd with AMI who received aspirin on arrival to hospital
2. Treatment for Acute Myocardial Infarction (AMI) with beta-blockers	Patients hospitalized with an AMI who received an ambulatory Rx for beta-blocker therapy
3. Treatment of Congestive Heart Failure (CHF) and Left Ventricular Systolic Dysfunction (LVSD) with Angio-tension converting enzyme(ACE) Inhibitor or Angio-tension receptor blocker (ARB)	Patients hospitalized with CHF and LVSD who received ACE-Inhibitor or Angio-tensin receptor blocker (ARB) therapy as an out patient
4. Treatment of Heart Failure with LVSD with Beta-blocker	Patients with heart failure who receive beta-blocker therapy as an out patient
5. Treatment of dyslipidemia	Patients with a diagnosis of hypercholesteremia receiving outpatient statin therapy
6. Invasive treatment of Acute ST Elevation MI (STEMI)	PCI received within 120 minutes of hospital arrival
7, Generic Drug Utilization	Percentage of generic drugs utilization

# Valley Health Care Network

## P4P Quality Measures 2006-2007

(Measurement Period August 1, 2006-July 31, 2007)

CLINICAL MEASURE	PERFORMANCE MEASURE
<b>PEDIATRICS</b>	
1. Well Child Visits During the First 15 Months of Life	Children who had a well-child visit to a PCP during the first 15 months of life. <i>(Sick visits do not count toward this measure)</i>
2. Well Child Visits During the 3 <sup>rd</sup> , 4 <sup>th</sup> , 5 <sup>th</sup> and 6 <sup>th</sup> Year of Life	Children who had at least one well child visit to a PCP during the measurement period <i>(Sick visits do not count toward this measure)</i>
3. Adolescent Well Child Visits	Adolescents (between the ages of 12-21) who had at least one well child visit to a PCP or OB/GYN during the measurement period. <i>(Sick visits do not count toward this measure)</i>
4. Appropriate Treatment of Children With Upper Respiratory Infection(URI)	Children with URI who <i>were not</i> dispensed an antibiotic Rx on or 3 days after the diagnosis
5. Appropriate Treatment and Testing of Children With Pharyngitis	Children with pharyngitis who received an antibiotic and a Group A Streptococcus test ordered for the episode
6. Generic Drug Utilization	Percentage of generic drugs utilization

# Valley Health Care Network

## P4P Quality Measures 2006-2007

(Measurement Period August 1, 2006-July 31, 2007)

CLINICAL MEASURE	PERFORMANCE MEASURE
<b>PCP'S</b>	Test Performed at least once during the measurement period
1. Diabetes	<ul style="list-style-type: none"> <li>• Lipid Profile</li> <li>• HBA1C Testing</li> <li>• Eye Exam</li> <li>• Urine Protein Analysis</li> <li>• Enrolled in VHP Diabetes Disease Management Program</li> </ul>
2. Breast Cancer Screening	Women who had a mammogram within the past 2 years or during the measurement period
3. Cervical Cancer Screening	Women who had one or more cervical pap tests within the past 3 years or during the measurement period
4. Patients aged 50 or more who had Colorectal Cancer Screening	<ul style="list-style-type: none"> <li>• Fecal Occult Blood test (FOBT)</li> <li>• Flexible Sigmoidoscopy during the measurement year or the prior 4 years</li> <li>• Colonoscopy during the measurement year or the prior 9 years</li> <li>• Double Contrast Barium Enema (DCBE) during the measurement year or the prior 4 years</li> </ul>
5. Coronary Artery Disease	<ul style="list-style-type: none"> <li>• Ace Inhibitor Therapy</li> <li>• Anti-Platelet Therapy</li> <li>• Beta Blocker Therapy</li> <li>• LDL Drug Therapy</li> <li>• Lipid Profile</li> </ul>
6. Congestive Heart Failure	<ul style="list-style-type: none"> <li>• Ace Inhibitor Therapy</li> <li>• Beta Blocker Therapy</li> <li>• LV Testing</li> </ul>